Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	129	camera same (superimpose or superimposed or superimposing or merge or merging or merged or combine or combining or combined) with (drawing or sketch or doodle) with (photo or photograph or photographic or picture)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/22 00:41
L2	0	camera same (superimpose or superimposed or superimposing or merge or merging or merged or combine or combining or combined) with (drawing or sketch or doodle) with (photo or photograph or photographic or picture) same (interpolate or interpolated or interpolating) with (image or drawing or sketch or photo or picture or graphic or photograph)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/22 00:41
L3	0	camera same (superimpose or superimposed or superimposing or merge or merging or merged or combine or combining or combined) with (drawing or sketch or doodle) with (photo or photograph or photographic or picture) and (interpolate or interpolated or interpolating) with (image or drawing or sketch or photo or picture or graphic or photograph)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/22 00:42
L4	0	camera same (superimpose or superimposed or superimposing or merge or merging or merged or combine or combining or combined) with (drawing or sketch or doodle) with (photo or photograph or photographic or picture) and (interpolate or interpolated or interpolating)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/22 00:42
L5	3	camera and (superimpose or superimposed or superimposing or merge or merging or merged or combine or combining or combined) with (drawing or sketch or doodle) with (photo or photograph or photographic or picture) and (interpolate or interpolated or interpolating) with (image or drawing or sketch or photo or picture or graphic or photograph)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/22 00:43

			sco. y			
L6	4	camera and (superimpose or superimposed or superimposing or merge or merging or merged or combine or combining or combined) with (drawing or sketch or doodle) with (photo or photograph or photographic or picture) and (interpolate or interpolated or interpolating)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/22 00:42
L7	1	6 not 5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/22 00:43
L8	4	camera and (superimpose or superimposed or superimposing or merge or merging or merged or combine or combining or combined) with (drawing or sketch or doodle) with (photo or photograph or photographic or picture) and (interpolate or interpolated or interpolating) same (image or drawing or sketch or photo or picture or graphic or photograph)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/22 00:44
L9	0	8 not 6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/22 00:43
L10	7	camera and (superimpose or superimposed or superimposing or merge or merging or merged or combine or combining or combined) with (drawing or sketch or doodle or outline) with (photo or photograph or photographic or picture) and (interpolate or interpolated or interpolating) same (image or drawing or sketch or photo or picture or graphic or photograph)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/22 00:45
L11	3	10 not 8	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/22 00:44

			•			
L12	10	camera and (superimpose or superimposed or superimposing or merge or merging or merged or combine or combining or combined) with (drawing or sketch or doodle or outline) with (photo or photograph or photographic or picture) and (interpolate or interpolated or interpolating)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/22 00:45
L13	3	12 not 10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/22 00:45
L14	11	(camera or ((video or digitizer or (image near3 (input or inputting))) same (mobile or portable or handheld))) and (superimpose or superimposed or superimposing or merge or merging or merged or combine or combining or combined) with (drawing or sketch or doodle or outline) with (photo or photograph or photographic or picture) and (interpolate or interpolated or interpolating)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/22 00:49
L15	1	14 not 12	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/22 00:48
L16	19	(camera or (video or digitizer or (image near3 (input or inputting)))) and (superimpose or superimposed or superimposing or merge or merging or merged or combine or combining or combined) with (drawing or sketch or doodle or outline) with (photo or photograph or photographic or picture) and (interpolate or interpolated or interpolating)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/22 00:50
L17	8	16 not 14	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/22 00:49

	· · · · · ·					
L18	425	(camera or (video or digitizer or (image near3 (input or inputting)))) and (superimpose or superimposed or superimposing or merge or merging or merged or combine or combining or combined) with (drawing or sketch or doodle or outline) with (photo or photograph or photographic or picture)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/22 00:50
L19	31	(camera or (video or digitizer or (image near3 (input or inputting)))) and (superimpose or superimposed or superimposing or merge or merging or merged or combine or combining or combined) with (drawing or sketch or doodle or outline) with (photo or photograph or photographic or picture) and ((low adj pass) or lowpass or frequency) with filter	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/22 00:54
L20	0	396/661.ccls. and (superimpose or superimposed or superimposing or merge or merging or merged or combine or combining or combined) with (drawing or sketch or doodle or outline) with (photo or photograph or photographic or picture) and ((low adj pass) or lowpass or frequency) with filter	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/22 00:55
L21	0	396/661.ccls. and (superimpose or superimposed or superimposing or merge or merging or merged or combine or combining or combined) same (drawing or sketch or doodle or outline) same (photo or photograph or photographic or picture) and ((low adj pass) or lowpass or frequency) with filter	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/22 00:56
L22	22	396/661.ccls. and (superimpose or superimposed or superimposing or merge or merging or merged or combine or combining or combined) same (drawing or sketch or doodle or outline) same (photo or photograph or photographic or picture)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/22 00:57

		EAST Scarci	,			
L23	0	396/1-210.ccls. and (superimpose or superimposed or superimposing or merge or merging or merged or combine or combining or combined) with (drawing or sketch or doodle or outline) with (photo or photograph or photographic or picture) and ((low adj pass) or lowpass or frequency) with filter	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/22 00:59
L24	4	396/1-210.ccls. and (superimpose or superimposed or superimposing or merge or merging or merged or combine or combining or combined) same (drawing or sketch or doodle or outline) same (photo or photograph or photographic or picture) and ((low adj pass) or lowpass or frequency) with filter	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/22 00:59
L25	447	396/1-210.ccls. and (superimpose or superimposed or superimposing or merge or merging or merged or combine or combining or combined) same (drawing or sketch or doodle or outline) same (photo or photograph or photographic or picture)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/22 00:57
L26	2	396/1-210.ccls. and (superimpose or superimposed or superimposing or merge or merging or merged or combine or combining or combined) same (drawing or sketch or doodle or outline) same (photo or photograph or photographic or picture) and (interpolate or interpolating or interpolated)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/22 01:00
L27	2	396/211-333.ccls. and (superimpose or superimposed or superimposing or merge or merging or merged or combine or combining or combined) with (drawing or sketch or doodle or outline) with (photo or photograph or photographic or picture) and ((low adj pass) or lowpass or frequency) with filter	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/22 00:59
L28	9	396/210-333.ccls. and (superimpose or superimposed or superimposing or merge or merging or merged or combine or combining or combined) same (drawing or sketch or doodle or outline) same (photo or photograph or photographic or picture) and ((low adj pass) or lowpass or frequency) with filter	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/22 01:00

L29	1	396/211-333.ccls. and (superimpose or superimposed or superimposing or merge or merging or merged or combine or combining or combined) same (drawing or sketch or doodle or outline) same (photo or photograph or photographic or picture) and (interpolate or interpolating or interpolated)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/22 01:00
-----	---	---	--	----	----	------------------

Sign in

Google

 Web
 Images
 Video
 News
 Maps
 more »

 camera "line drawing" photograph interpolate s
 Search
 Advanced Search Preferences

Web Results 1 - 10 of about 57 for camera "line drawing" photograph interpolate superimpose "spatial fre

Molecular Expressions Microscopy Primer: Digital Imaging in ...

Photographs made with film, or video images produced by a vidicon camera ... than the digital sampling interval (have a high spatial frequency) will not be ... micro.magnet.fsu.edu/primer/digitalimaging/digitalimagebasics.html - 114k - Cached - Similar pages

Information processing apparatus - Patent 20020054110 — Present invention The line-drawing is interpolated in the interpolation circuit and the image ... image having superimposed the first image (having the high spatial frequency ... www.freepatentsonline.com/20020054110.html - 93k - Cached - Similar pages

Molecular Expressions Microscopy Primer: Digital Imaging in ...

**Photographs** made with film, or video images produced by a vidicon **camera** tube, ... aliasing has produced a loss of high **spatial frequency** data while ... https://micro.magnet.fsu.edu/primer/digitalimaging/digitalimagebasics.html - 114k - Cached - Similar pages

Research Report '96 - Research Progress - E

We control a robot from image information obtained from a **camera**. ... oriented, and **spatial frequency** selective **filters** at corresponding points in two faces ... www.hip.atr.co.jp/RRep/RRep96/Research-Progress\_E.html - 145k - Cached - Similar pages

JSTOR: A Penalized Likelihood Approach to Image Warping

It is not possible to subsume this **filter** in the Fourier-von Mises image model, ... image representations in the space and **spatial-frequency** domains. ... links.jstor.org/sici?sici=1369-7412(2001)63%3A3%3C465%3AAPLATI%3E2.0.CO%3B2-E - Similar pages

JSTOR: Early Processing of Visual Information

(Note that unlike **spatial frequency**, the denser the measurements, ... as the negative x axis because this image was taken with the **camera** on its side. ... links.jstor.org/sici?sici=0080-4622(19761019)275%3A942%3C483%3AEPOVI%3E2.0.CO% 3B2-X - Similar pages

### [PDF] HUMAN FACIAL ILLUSTRATIONS: CREATION AND EVALUATION USING ...

File Format: PDF/Adobe Acrobat - View as HTML

the training phase using **photographs** as stimulus **superimposed** on ... continuous image representation and **interpolation**. IEEE Transactions on ... www.cs.northwestern.edu/~bgooch/PDFs/dissertation.pdf - Similar pages

[PDF] Computer Vision

File Format: PDF/Adobe Acrobat - View as HTML

This family of 2D **filters** were originally proposed as a framework for un-. derstanding the orientation-selective and **spatial-frequency**-selective receptive ... www.cl.cam.ac.uk/Teaching/2001/CompVision/notes.pdf - Similar pages

### Method and apparatus for quantum-limited data acquisition - US ...

The **filter** should have a bandwidth at least large enough to include the maximum frequency of the noiseless information, as modified by the **camera's** optics, ...

Sign in

Google

Web Images Video News Maps more » Advanced Search camera "line drawing" photograph interpolate : Search Preferences

Web Results 11 - 20 of about 57 for camera "line drawing" photograph interpolate superimpose "spatial fr

#### [ррг] Volume Visualisation Via Variable-Detail Non-Photorealistic ...

File Format: PDF/Adobe Acrobat - View as HTML

Low sampling rates require paying careful attention to interpolation. ... Smooth the image with a Gaussian filter to reduce image details. ...

www.cgl.uwaterloo.ca/~jlmckinl/thesis.pdf - Similar pages

### Z. Preamble 1. Introduction This is the twenty-first in a series ...

R.S. Thau, Illuminant precompensation for texture discrimination using filters, IUW, 179-184. 1282. J. Krumm and S.A. Shafer, Local spatial frequency ... fas.sfu.ca:70/0/cs/people/Faculty/Li/personal/Rosenfeld/1990/1990 - 311k -Cached - Similar pages

#### Microlmages Documentation

airphoto: A photograph taken vertically from the air. Any type of camera may be used, ... spatial frequency components for subsequent analysis or filtering. ... www.microimages.com/documentation/miglossary/glossary.htm - 331k -Cached - Similar pages

#### [PDF] Reference Manual: Glossary

File Format: PDF/Adobe Acrobat - View as HTML airphoto: A photograph taken vertically from the air. Any type of camera may be used, ... removing unwanted spatial frequency components in an image. ... www.microimages.com/refman/glossary.pdf - Similar pages

#### [PDF] Image Measurement and Analysis Lab (formerly tnimage)

File Format: PDF/Adobe Acrobat

depth of camera image, in bytes/pixel, default depth 3, # default post-processing command or macro name. default\_post\_command filter 1 1 10. Here is the ... brneurosci.org/imal-manual.pdf - Similar pages

#### G GLOSSARY

Bilinear interpolation is used in resampling a raster object to create a new raster ... and removing unwanted spatial frequency components in an image. ... wwwzoo.im.gda.pl/mips/gloss000.htm - 244k - Cached - Similar pages

### [PDF] Hypermedia Image Processing Reference

File Format: PDF/Adobe Acrobat

Spatial Frequency. Response. Frequency Response of Gaussian Filter. Figure 10.8: Frequency responses of Box (i.e. mean) Iter (width 7 pixels) and Gaussian ...

www.dsi.unive.it/~atorsell/Hipr.pdf - Similar pages

#### [PDF] User Manual for IDEA 1.7


File Format: PDF/Adobe Acrobat

This way, be setting the scale factor to 1, one can interpolate. missing data. ... It includes complex spatial frequency data in the so called packed ... www.optics.tugraz.at/idea/Manual\_IDEAv17.pdf - Similar pages

### [PDF] KEYBLOCK: AN APPROACH FOR CONTENT-BASED IMAGE RETRIEVAL

File Format: PDF/Adobe Acrobat

Galerkin method to interpolate the shape surface to get a positive definite matrix. ...



August 1979 ACM SIGGRAPH Computer Graphics, Volume 13 Issue 3

Publisher: ACM Press

4

Full text available: pdf(15.01 MB) Additional Information: full citation, references, citings

Computational photography: Non-photorealistic camera: depth edge detection and stylized rendering using multi-flash imaging



Ramesh Raskar, Rogerio Feris, Jingyi Yu, Matthew Turk July 2006 ACM SIGGRAPH 2006 Courses SIGGRAPH '06

Publisher: ACM Press

Full text available: pdf(288.75 KB) Additional Information: full citation, abstract, references

We present a non-photorealistic rendering approach to capture and convey shape features of real-world scenes. We use a camera with multiple flashes that are strategically positioned to cast shadows along depth discontinuities in the scene. The projectivegeometric relationship of the camera-flash setup is then exploited to detect depth discontinuities and distinguish them from intensity edges due to material discontinuities. We introduce depiction methods that utilize the detected edge features t ...

5 Projectors: advanced graphics and vision techniques



Ramesh Raskar

August 2004 ACM SIGGRAPH 2004 Course Notes SIGGRAPH '04

Publisher: ACM Press

Full text available: pdf(6.53 MB) Additional Information: full citation

6 Computational Approaches to Image Understanding



Michael Brady

March 1982 ACM Computing Surveys (CSUR), Volume 14 Issue 1

Publisher: ACM Press

Full text available: 🔁 pdf(10.04 MB) Additional Information: full citation, references, citings, index terms

Spatial augmented reality: Superimposing pictorial artwork with projected imagery Oliver Bimber, Franz Coriand, Alexander Kleppe, Erich Bruns, Stefanie Zollmann, Tobias



July 2006 ACM SIGGRAPH 2006 Courses SIGGRAPH '06

Publisher: ACM Press

Full text available: pdf(868.61 KB) Additional Information: full citation, abstract, references

Working high above the floor of the Sistine Chapel in the Vatican of Rome, between 1509 and 1512 Michelangelo Buonarroti painted some of the finest pictorial images of all time. On the ceiling of the papal chapel, he created a masterpiece fresco that includes nine scenes from the book of Genesis. Among them is the famous Creation of Adam scene--showing God touching Adam's hand. In 1510, an initial study led Michelangelo to draw the Adam figure as a sanguine on a piece of paper. To ...

8 Interactive local adjustment of tonal values



Dani Lischinski, Zeev Farbman, Matt Uyttendaele, Richard Szeliski

July 2006 ACM Transactions on Graphics (TOG), ACM SIGGRAPH 2006 Papers SIGGRAPH '06, Volume 25 Issue 3

Publisher: ACM Press

Full text available: pdf(634.14 KB)

Additional Information: full citation, abstract, references, index terms mov(22:25 MIN)

This paper presents a new interactive tool for making local adjustments of tonal values and other visual parameters in an image. Rather than carefully selecting regions or handpainting layer masks, the user quickly indicates regions of interest by drawing a few simple brush strokes and then uses sliders to adjust the brightness, contrast, and other parameters in these regions. The effects of the user's sparse set of constraints are interpolated to the entire image using an edge-preserving energ ...

Keywords: digital darkroom, high dynamic range imaging, image editing, stroke-based interface, tonal adjustment, tone mapping

9 Computational strategies for object recognition

Paul Suetens, Pascal Fua, Andrew J. Hanson
March 1992 ACM Computing Surveys (CSUR), Volume 24 Issue 1

Publisher: ACM Press

Full text available: pdf(6.37 MB)

Additional Information: full citation, abstract, references, citings, index

terms, review

This article reviews the available methods for automated identification of objects in digital images. The techniques are classified into groups according to the nature of the computational strategy used. Four classes are proposed: (1) the simplest strategies, which work on data appropriate for feature vector classification, (2) methods that match models to symbolic data structures for situations involving reliable data and complex models, (3) approaches that fit models to the photometry and ...

**Keywords**: image understanding, model-based vision, object recognition

10 The elements of nature: interactive and realistic techniques

Oliver Deusen, David S. Ebert, Ron Fedkiw, F. Kenton Musgrave, Przemyslaw Prusinkiewicz, Doug Roble, Jos Stam, Jerry Tessendorf

August 2004 ACM SIGGRAPH 2004 Course Notes SIGGRAPH '04

Publisher: ACM Press

Full text available: pdf(17.65 MB) Additional Information: full citation, abstract

This updated course on simulating natural phenomena will cover the latest research and production techniques for simulating most of the elements of nature. The presenters will provide movie production, interactive simulation, and research perspectives on the difficult task of photorealistic modeling, rendering, and animation of natural phenomena. The course offers a nice balance of the latest interactive graphics hardware-based simulation techniques and the latest physics-based simulation techni ...

11 High resolution virtual reality

Michael Deering

July 1992 ACM SIGGRAPH Computer Graphics, Proceedings of the 19th annual conference on Computer graphics and interactive techniques SIGGRAPH

**'92**, Volume 26 Issue 2

Publisher: ACM Press

Full text available: 📆 pdf(4.27 MB) Additional Information: full citation, references, citings, index terms

Keywords: head-tracking, stereoscopic display, virtual reality

12 Point-based computer graphics

Marc Alexa, Markus Gross, Mark Pauly, Hanspeter Pfister, Marc Stamminger, Matthias

August 2004 ACM SIGGRAPH 2004 Course Notes SIGGRAPH '04

Publisher: ACM Press

Full text available: pdf(8.94 MB) Additional Information: full citation, abstract, citings

This course introduces points as a powerful and versatile graphics primitive. Speakers

present their latest concepts for the acquisition, representation, modeling, processing, and rendering of point sampled geometry along with applications and research directions. We describe algorithms and discuss current problems and limitations, covering important aspects of point based graphics.

13 GPGPU: general purpose computation on graphics hardware

David Luebke, Mark Harris, Jens Krüger, Tim Purcell, Naga Govindaraju, Ian Buck, Cliff Woolley, Aaron Lefohn

August 2004 ACM SIGGRAPH 2004 Course Notes SIGGRAPH '04

**Publisher: ACM Press** 

Full text available: pdf(63.03 MB) Additional Information: full citation, abstract, citings

The graphics processor (GPU) on today's commodity video cards has evolved into an extremely powerful and flexible processor. The latest graphics architectures provide tremendous memory bandwidth and computational horsepower, with fully programmable vertex and pixel processing units that support vector operations up to full IEEE floating point precision. High level languages have emerged for graphics hardware, making this computational power accessible. Architecturally, GPUs are highly parallel s ...

14 Look: MultiView: spatially faithful group video conferencing

David Nguyen, John Canny

April 2005 Proceedings of the SIGCHI conference on Human factors in computing systems CHI '05

Publisher: ACM Press

Full text available: 🔁 pdf(1.89 MB) Additional Information: full citation, abstract, references, index terms

MultiView is a new video conferencing system that supports collaboration between remote groups of people. MultiView accomplishes this by being spatially faithful. As a result, MultiView preserves a myriad of nonverbal cues, includ-ing gaze and gesture, in a way that should improve com-munication. Previous systems fail to support many of these cues because a single camera perspective warps spatial char-acteristics in group-to-group meetings. In this paper, we present a formal defini ...

Keywords: deixis, eye contact, gaze, spatial faithfulness, video conferencing

15 High dynamic range imaging

Paul Debevec, Erik Reinhard, Greg Ward, Sumanta Pattanaik August 2004 ACM SIGGRAPH 2004 Course Notes SIGGRAPH '04

Publisher: ACM Press

Full text available: 📆 pdf(20.22 MB) Additional Information: full citation, abstract

Current display devices can display only a limited range of contrast and colors, which is one of the main reasons that most image acquisition, processing, and display techniques use no more than eight bits per color channel. This course outlines recent advances in high-dynamic-range imaging, from capture to display, that remove this restriction, thereby enabling images to represent the color gamut and dynamic range of the original scene rather than the limited subspace imposed by current monitor ...

Perceptually-supported image editing of text and graphics

Eric Saund, David Fleet, Daniel Larner, James Mahoney November 2003 Proceedings of the 16th annual ACM symposium on User interface software and technology UIST '03

Publisher: ACM Press

Full text available: 📆 pdf(1.42 MB) 📳 Additional Information: full citation, abstract, references, citings, index wmv(3:16 MIN) @ terms

mov(3:16 MIN)

This paper presents a novel image editing program emphasizing easy selection and manipulation of material found in informal, casual documents such as sketches, handwritten notes, whiteboard images, screen snapshots, and scanned documents. The program, called ScanScribe, offers four significant advances. First, it presents a new, intuitive model for maintaining image objects and groups, along with underlying logic for updating these in the course of an editing session. Second, ScanScribe t ...

**Keywords**: WYPIWYG, bitmap image, foreground/background, lattice grouping, perceptual document editing, rough document, scanscribe

17 Image-based modeling and photo editing

Byong Mok Oh, Max Chen, Julie Dorsey, Frédo Durand

August 2001 Proceedings of the 28th annual conference on Computer graphics and interactive techniques SIGGRAPH '01

Publisher: ACM Press

Additional Information: full citation, abstract, references, citings, index Full text available: pdf(4.01 MB) terms

We present an image-based modeling and editing system that takes a single photo as input. We represent a scene as a layered collection of depth images, where each pixel encodes both color and depth. Starting from an input image, we employ a suite of userassisted techniques, based on a painting metaphor, to assign depths and extract layers. We introduce two specific editing operations. The first, a "clone brushing tool," permits the distortion-free copying of parts of a picture, b ...

18 Photographing long scenes with multi-viewpoint panoramas

Aseem Agarwala, Maneesh Agrawala, Michael Cohen, David Salesin, Richard Szeliski July 2006 ACM Transactions on Graphics (TOG), ACM SIGGRAPH 2006 Papers SIGGRAPH '06, Volume 25 Issue 3

Publisher: ACM Press

Full text available: pdf(3.41 MB) Additional Information: full citation, abstract, references, index terms mov(21:15 MIN)

We present a system for producing multi-viewpoint panoramas of long, roughly planar scenes, such as the facades of buildings along a city street, from a relatively sparse set of photographs captured with a handheld still camera that is moved along the scene. Our work is a significant departure from previous methods for creating multi-viewpoint panoramas, which composite thin vertical strips from a video sequence captured by a translating video camera, in that the resulting panoramas are composed ...

19 A demonstrated optical tracker with scalable work area for head-mounted display

systems

Mark Ward, Ronald Azuma, Robert Bennett, Stefan Gottschalk, Henry Fuchs June 1992 Proceedings of the 1992 symposium on Interactive 3D graphics SI3D '92

Publisher: ACM Press

Additional Information: full citation, references, citings, index terms Full text available: pdf(1.37 MB)

20 An interactive introduction to OpenGL programming

Dave Shreiner, Ed Angel, Vicki Shreiner

August 2004 ACM SIGGRAPH 2004 Course Notes SIGGRAPH '04

Publisher: ACM Press

Full text available: pdf(3.35 MB) Additional Information: full citation, abstract "An Interactive Introduction to OpenGL Programming" provides an overview of the OpenGL Application Programming Interface (API), a library of subroutines for drawing three-dimensional objects and images on a computer. After the completion of the course, a programmer able to write simple programs in the "C" language will be able to create an OpenGL application that has moving 3D objects that look like they are being lit by lights in the scene and by specifying colors or images that should be used ...

Results 1 - 20 of 200

Result page: **1** <u>2</u> <u>3</u> <u>4</u> <u>5</u> <u>6</u> <u>7</u> <u>8</u> <u>9</u> <u>10</u> <u>next</u>

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2007 ACM, Inc.

<u>Terms of Usage Privacy Policy Code of Ethics Contact Us</u>

Useful downloads: Adobe Acrobat Q QuickTime Windows Media Player Real Player

# P 6 pub Interference Search

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L30	0	(camera and (superimpose or superimposed or superimposing or merge or merging or merged or combine or combining or combined) with (drawing or sketch or doodle) with (photo or photograph or photographic or picture) and (interpolate or interpolated or interpolating) and (filter)).clm.	US-PGPUB	OR	ON	2007/01/22 01:09
L31	0	(camera and (superimpose or superimposed or superimposing or merge or merging or merged or combine or combining or combined) with (drawing or sketch or doodle) same (photo or photograph or photographic or picture) and (interpolate or interpolated or interpolating) and (filter)).clm.	US-PGPUB	OR	ON	2007/01/22 01:09